



Pharmaceuticals and Cosmetics Inc., Koprivnica, Croatia
Quality Control Department

BATCH CERTIFICATE

No. 040000861836

Product/packing/market: Belobaza / á 4 kg / SI

Batch No : 21366118 Manuf. date : 11.2018
Code : 7280 Expiry date : 11.2022
Quantity : 249 pcs

Test	Requirement	Result
Appearance	white, smooth and homogeneous cream without clots and foreign matter	complies
pH	4,5 5,5	5,0
Loss on drying	65 75 %	71,1
Hydroxyl value	not more than 10,0	5,3
Iodine value	not more than 2,0	0,3
Identification of benzyl alcohol	Rt (sample) = Rt (standard)	complies
Content of benzyl alcohol	9,0 11,0 mg/g	9,68
Content of benzyl alcohol	90,0 110,0 %	96,8
MICROBIOLOGICAL PURITY		
Total aerobic microbial count (TAMC) + total combined yeasts/moulds count (TYMC)	not more than 100 cfu/g	<10
Escherichia coli in 0,5 g	absence	absence
Staphylococcus aureus in 0,5 g	absence	absence
Pseudomonas aeruginosa in 0,5 g	absence	absence
Candida albicans in 0,5 g	absence	absence

I hereby certify that the above information is authentic and accurate.

This batch of product has been produced and released at the above mentioned site in full compliance with the GMP requirements and with the specifications in the Marketing Authorisation of the importing country.

The batch records were reviewed and found to be in compliance with GMP.

Released by: IVANA KRAJINA, MPharm.
Qualified Person
21.11.2018

This document contains e-signature.