



Pharmaceuticals and Cosmetics Inc., Koprivnica, Croatia  
Quality Control Department

## BATCH CERTIFICATE

No. 040000870186

Product/packing/market: Belobaza / á 4 kg / SI

Batch No : 21633128      **Manuf. date** : 12.2018  
Code : 7280      **Expiry date** : 12.2022  
Quantity : 247 pcs

Test	Requirement	Result
Appearance	white, smooth and homogeneous cream without clots and foreign matter	complies
pH	4,5      5,5	5,1
Loss on drying	65      75      %	72,3
Hydroxyl value	not more than      10,0	6,8
Iodine value	not more than      2,0	0,4
Identification of benzyl alcohol	Rt (sample) = Rt (standard)	complies
Content of benzyl alcohol	9,0      11,0      mg/g	9,67
Content of benzyl alcohol	90,0      110,0      %	96,7
<b>MICROBIOLOGICAL PURITY</b>		
Total aerobic microbial count (TAMC) + total combined yeasts/moulds count (TYMC)	not more than      100      cfu/g	<10
Escherichia coli in 0,5 g	absence	absence
Staphylococcus aureus in 0,5 g	absence	absence
Pseudomonas aeruginosa in 0,5 g	absence	absence
Candida albicans in 0,5 g	absence	absence

I hereby certify that the above information is authentic and accurate.

This batch of product has been produced and released at the above mentioned site in full compliance with the GMP requirements and with the specifications in the Marketing Authorisation of the importing country.

The batch records were reviewed and found to be in compliance with GMP.

**Released by:** KRISTINA JANEKOVIĆ PETRAS, MPharm.Univ.M.Spec.  
Qualified Person  
24.12.2018

This document contains e-signature.