



Pharmaceuticals and Cosmetics Inc., Koprivnica, Croatia  
Quality Control Department

### BATCH CERTIFICATE

No. 040000871225

Product/packing/market: Belobaza / á 2 kg / SI

Batch No : 21665128  
Code : 7279  
Quantity : 493 pcs

Manuf. date : 12.2018  
Expiry date : 12.2022

Test	Requirement			Result
Appearance	white, smooth and homogeneous cream without clots and foreign matter			complies
pH	4,5	5,5		5,1
Loss on drying	65	75	%	73,4
Hydroxyl value	not more than	10,0		6,1
Iodine value	not more than	2,0		0,3
Identification of benzyl alcohol	Rt (sample) = Rt (standard)			complies
Content of benzyl alcohol	9,0	11,0	mg/g	9,93
Content of benzyl alcohol	90,0	110,0	%	99,3
<b>MICROBIOLOGICAL PURITY</b>				
Total aerobic microbial count (TAMC) + total combined yeasts/moulds count (TYMC)	not more than	100	cfu/g	<10
Escherichia coli in 0,5 g	absence			absence
Staphylococcus aureus in 0,5 g	absence			absence
Pseudomonas aeruginosa in 0,5 g	absence			absence
Candida albicans in 0,5 g	absence			absence

I hereby certify that the above information is authentic and accurate.

This batch of product has been produced and released at the above mentioned site in full compliance with the GMP requirements and with the specifications in the Marketing Authorisation of the importing country.

The batch records were reviewed and found to be in compliance with GMP.

Released by: KRISTINA JANEKOVIĆ PETRAS, MPharm.Univ.M.Spec.  
Qualified Person  
24.12.2018

This document contains e-signature.