

Pharmaceuticals and Cosmetics Inc., Koprivnica, Croatia **Quality Control Department**

BATCH CERTIFICATE

No. 040000880341

Product/packing/market: Belobaza / á 2 kg / SI

Batch No : 22029029 Code : 7279

Manuf. date Expiry date : 02,2019 : 02.2023

Quantity : 492 pcs

Test	Requirement white, smooth and homogeneous cream without clots and foreign			Result
Арреагапсе				-
pH	4.5	5,5		complies
Loss on drying				5,1
Hydroxyl value	65	75	%	72,8
lodine vajue	not more than	10,0		6,1
Identification of benzyl alcohol	not more than Rt (sample) ≈	2,0 Rt (standard)		0,3
Content of benzyl alcohol				complies
Content of benzyl alcohol	9,0	11,0	mg/g %	9.84
MICROBIOLOGICAL PURITY	40,0	110,0	70	4,08
Total aerobic microbial count (TAMC) + total combined yeasts/moulds count (TYMC)				
	not more than	100	cfw'g	<10
Escherichia coli in 0,5 g	absence			absence
Staphylococcus aureus in 0,5 g	absence			
Pseudomonas aeruginosa in 0,5 g	absence			absence
Candida albicans in 0,5 g	absence			absençe
				absence

I hereby certify that the above information is authentic and accurate.

This batch of product has been produced and released at the above mentioned site in full compliance with the GMP requirements and with the specifications in the Marketing Authorisation of the importing country,

The batch records were reviewed and found to be in compliance with GMP.

Released by:

IVANA KRAJINA, MPharm. Qualified Person 22.02.2019

This document contains e-signature.