



BATCH CERTIFICATE

No. 040000916119

Product/packing/market: Belobaza / á 4 kg / SI

Batch No : 23075079 **Manuf. date** : 07.2019
Code : 7280 **Expiry date** : 07.2023
Quantity : 249 pcs

Test	Requirement	Result
Appearance	white, smooth and homogeneous cream without clots and foreign matter	complies
pH	4,5 5,5	5,1
Identification of benzyl alcohol (GC)	Rt (sample) ≈ Rt (standard)	complies
Content of benzyl alcohol (GC)	9,0 11,0 mg/g	9,90
Content of benzyl alcohol (GC)	90,0 110,0 %	99,0
MICROBIOLOGICAL PURITY		
Total aerobic microbial count (TAMC) + total combined yeasts/moulds count (TYMC)	not more than 100 cfu/g	<10
Escherichia coli in 0,5 g	absence	absence
Staphylococcus aureus in 0,5 g	absence	absence
Pseudomonas aeruginosa in 0,5 g	absence	absence
Candida albicans in 0,5 g	absence	absence

I hereby certify that the above information is authentic and accurate.

This batch of product has been produced and released at the above mentioned site in full compliance with the GMP requirements and with the specifications in the Marketing Authorisation of the importing country.

The batch records were reviewed and found to be in compliance with GMP.

Released by: KRISTINA JANEKOVIĆ PETRAS, MPharm.Univ.M.Spec.
Qualified Person
22.07.2019

This document contains e-signature.