

Pharmaceuticals and Cosmetics Inc., Koprivnica, Croatia **Quality Control Department**

BATCH CERTIFICATE

No. 040000679121

Product/packing/market: Belobaza / á 4 kg / SI

Batch No

: 26382106

Code Quantity

: 7280

: 125 pcs

Manuf. date

: 10.2016

Expiry date

: 10.2020

Test	Requirement			Result
Appearance	white, smooth	and homoge	neous cream v	vithout clots and foreign matter
pH				complies
	4,5	5,5		4,91
Loss on drying	65	75	%	74 5
Hydroxyl value			70	71,5
lodine value	max	10,0		7,5
lodine value	max	2,0		0,3
Identification of benzyl alcohol	Rt (sample) ≈ Rt (standard)			-,-
Content of benzyl alcohol				complies
,	9,0	11,0	mg/g	9,77
Content of benzyl alcohol	90,0	110,0	%	97,68
MICROBIOLOGICAL PURITY				
Total aerobic microbial count (TAMC) + total combined yeasts/moulds count (TYMC)				
Fashadakia salit 0.5	max	100	cfu/g	<10
Escherichia coli in 0,5 g	absence			absence
Staphylococcus aureus in 0,5 g	absence			
Pseudomonas aeruginosa in 0,5 g	absence			absence
Candida albicans in 0,5 g	absence			absence
				absence

I hereby certify that the above information is authentic and accurate.

The batch records were reviewed and found to be in compliance with GMP.

Released by:

KRISTINA JANEKOVIĆ PETRAS, MPharm. Univ. M. Spec.

Qualified Person

This document contains e-signature.

05.12.2016

This batch of product has been produced and released at the above mentioned site in full compliance with the GMP requirements and with the specifications in the Marketing Authorisation of the importing country.