

Pharmaceuticals and Cosmetics Inc., Koprivnica, Croatia Quality Control Department

BATCH CERTIFICATE No. 040001035293

Product/packing/market: Belobaza / á 2 kg / SI

Batch No	: 26521120	Manuf. date	: 12.2020
Code	: 7279	Expiry date	: 12.2024
Quantity	: 241 pcs		

Test	R	equireme	ent	Result
Appearance	white, smooth a	thout clots and foreign matter		
рН				complies
pri	4,5	5,5		5,0
Identification of benzyl alcohol (GC)	Rt (sample) ≈ Rt (standard)			
Content of benzyl alcohol (GC)				complies
content of benzyl alconor (CO)	9,0	11,0	mg/g	9,99
Content of benzyl alcohol (GC)	90,0	110,0	%	99,9
MICROBIOLOGICAL PURITY				
Total aerobic microbial count (TAMC) + total combined yeasts/moulds count (TYMC)				
	not more than	100	cfu/g	<10
Escherichia coli in 0,5 g	absence			
Staphylococcus aureus in 0,5 g	absence			absence
				absence
Pseudomonas aeruginosa in 0,5 g	absence			absence
Candida albicans in 0,5 g	absence			
				absence

I hereby certify that the above information is authentic and accurate.

This batch of product has been produced and released at the above mentioned site in full compliance with the GMP requirements and with the specifications in the Marketing Authorisation of the importing country.

The batch records were reviewed and found to be in compliance with GMP.

Released by:	IVANA KRAJINA, MPharm. Qualified Person
This document contains e-signature.	17.12.2020

Print date: 18.12.2020. 14:00