

Pharmaceuticals and Cosmetics Inc., Koprivnica, Croatia **Quality Control Department**

BATCH CERTIFICATE

No. 040000688740

Product/packing/market: Belobaza / á 2 kg / SI

Batch No

: 26650126

: 7279

Manuf. date

: 12.2016

Code

Expiry date

: 12.2020

Quantity : 249 pcs

Test	Requirement white, smooth and homogeneous cream without clots and for			Result
Appearance				
pH	4,5	5,5		complies 5,0
Loss on drying	65	75	%	72,6
Hydroxyl value	max	10,0		8,1
lodine value	max	2,0		0,3
Identification of benzyl alcohol	Rt (sample) ≈ Rt (standard)			complies
Content of benzyl alcohol	9,0	11,0	mg/g	9,61
Content of benzyl alcohol	90,0	110,0	%	96,15
MICROBIOLOGICAL PURITY				
Total aerobic microbial count (TAMC) + total combined yeasts/moulds count (TYMC)	max	100	cfu/g	<10
Escherichia coli in 0,5 g	absence			
Staphylococcus aureus in 0,5 g	absence			absence
Pseudomonas aeruginosa in 0,5 g	absence			absence
Candida albicans in 0,5 g	absence			absence
				absence

I hereby certify that the above information is authentic and accurate.

The batch records were reviewed and found to be in compliance with GMP.

Released by:

KRISTINA JANEKOVIĆ PETRAS, MPharm. Univ. M. Spec.

Qualified Person

This document contains e-signature.

23.12.2016

This batch of product has been produced and released at the above mentioned site in full compliance with the GMP requirements and with the specifications in the Marketing Authorisation of the importing country.