

BATCH CERTIFICATE

No. 040000706149

Product/packing/market: Belobaza / á 2 kg / SI**Batch No** : 27060027**Manuf. date** : 02.2017**Code** : 7279**Expiry date** : 02.2021**Quantity** : 249 pcs

Test	Requirement	Result
Appearance	white smooth and homogeneous cream without clots and foreign matter	
pH	4.5 5.5	complies 5.0
Loss on drying	65 75 %	72.3
Hydroxyl value	max 10.0	6.1
Iodine value	max 2.0	0.3
Identification of benzyl alcohol	Rt (sample) = Rt (standard)	
Content of benzyl alcohol	9.0 11.0 mg/g	complies 9.70
Content of benzyl alcohol	90.0 110.0 %	96.97
MICROBIOLOGICAL PURITY		
Total aerobic microbial count (TAMC) + total combined yeasts/moulds count (TYMC)	max 100 cfu/g	<10
Escherichia coli in 0.5 g	absence	absence
Staphylococcus aureus in 0.5 g	absence	absence
Pseudomonas aeruginosa in 0.5 g	absence	absence
Candida albicans in 0.5 g	absence	absence

I hereby certify that the above information is authentic and accurate

This batch of product has been produced and released at the above mentioned site in full compliance with the GMP requirements
and with the specifications in the Marketing Authorisation of the importing country

The batch records were reviewed and found to be in compliance with GMP

Released by: TAMARA TETEC, MPharm. Univ. Master
Qualified Person
16.03.2017

This document contains e-signature.