

## BATCH CERTIFICATE

No. 040000708231

Product/packing/market: Belobaza / á 4 kg / SI

Batch No : 27110037  
Code : 7280  
Quantity : 125 pcs

Manuf. date : 03 2017  
Expiry date : 03 2021

Test	Requirement			Result
Appearance	white, smooth and homogeneous cream without clots and foreign matter			
pH	4.5	5.5		complies 5.0
Loss on drying	65	75	%	73.4
Hydroxyl value	max	10.0		6.1
Iodine value	max	2.0		0.2
Identification of benzyl alcohol	Rt (sample) = Rt (standard)			
Content of benzyl alcohol	9.0	11.0	mg/g	complies 9.59
Content of benzyl alcohol	90.0	110.0	%	95.93
<b>MICROBIOLOGICAL PURITY</b>				
Total aerobic microbial count (TAMC) + total combined yeasts/moulds count (TYMC)	max	100	cfu/g	<10
Escherichia coli in 0.5 g	absence			
Staphylococcus aureus in 0.5 g	absence			absence
Pseudomonas aeruginosa in 0.5 g	absence			absence
Candida albicans in 0.5 g	absence			absence
				absence

I hereby certify that the above information is authentic and accurate.

This batch of product has been produced and released at the above mentioned site in full compliance with the GMP requirements and with the specifications in the Marketing Authorisation of the importing country

The batch records were reviewed and found to be in compliance with GMP

Released by: TAMARA TETEC, MPharm. Univ. Master  
Qualified Person  
16.03.2017

This document contains e-signature