

SAFETY DATA SHEET

(Regulation EC No.1907/2006 amended – Annex II)



COMPANY: LABORATOIRES URGO
BRAND: URGO
PRODUCT NAME: URGO FILMOGEL BOUTONS
Creation date: 08/11/2013
Version: 1.1

SDS n°: SDS082
Print date: 28/11/2013
Revision date: 18/11/2013

Page 1 of 14

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. PRODUCT IDENTIFIER

Product Name: URGO Filmogel Boutons.
Type of product: Mixture.

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Identified uses: Consumer use.
Finished product.
General public cosmetic product.
Uses advised against: No data available.

1.3. DETAILS OF THE SUPPLIER OF THE SUBSTANCE OR MIXTURE

Manufacturer /Supplier: LABORATOIRES URGO
Address: 42 rue de Longvic
21300 Chenôve
Tel: +33.(0)3.80.54.50.00
Fax: +33.(0)3.80.44.74.52
Email: info@laboratoiresurgo.fr
Website : www.urgo.fr
Contact person: Mister Gilles Guérin.

1.4. EMERGENCY TELEPHONE

Emergency phone number: INRS / ORFILA: +33.(0)1.45.42.59.59

SECTION 2. HAZARDS IDENTIFICATION

2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

The finished product for the general public, in its commercial form, is not concerned by the DPD and CLP classification. This classification is given for information for professionals responsible for the storage, handling, distribution and transportation of the product to ensure their handling of it safely.

2.1.1. Classification according to Directive No.1999/45/EC (DDP):

F; R11.

Full text of hazard categories and R phrases is included in section 16.

2.1.2. Classification according to Regulation EC No.1272/2008 (CLP):

Flam Liq Cat2; H225.
Eye Irrit Cat2; H319.

Full text of hazard categories and H phrases is included in section 16.
Procedure used for determining classification is included in section 16.

2.2. LABEL ELEMENTS

The finished product for the general public, in its commercial form, is not concerned by the labeling according to the CLP. This labeling is given for information for professionals responsible for the storage, handling, distribution and transportation of the product to ensure their handling of it safely.

SAFETY DATA SHEET

(Regulation EC No.1907/2006 amended – Annex II)



COMPANY: LABORATOIRES URGO
BRAND: URGO
PRODUCT NAME: URGO FILMOGEL BOUTONS
Creation date: 08/11/2013
Version: 1.1

SDS n°: SDS082
Print date: 28/11/2013
Revision date: 18/11/2013

Page 2 of 14

2.2.1. Labeling according to Regulation EC No.1272/2008 (CLP):

Pictograms:

GHS02 ; GHS07



Signal word:

Danger.

Contains:

--

Hazard statements:

H225
H319:

Additional hazard statements:

--

Precautionary statements:

P102: Keep out of reach of children.
P210: Keep away from heat / sparks / open / hot surfaces flames. Do not smoke.
P233: Keep container tightly closed.
P240: Ground / bond container and receiving equipment.
P241: Use electrical / ventilating / lighting / ... / equipment.
P242: Do not use sparking tools.
P243: Take precautionary measures against electrostatic discharges.
P264: Wash hands thoroughly after handling.
P280: Wear protective gloves / protective clothing / equipment for eye protection / face protection.
P303 + P361 + P353: IF CONTACT WITH SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water / shower.
P305 + P351 + P338: IF CONTACT WITH EYES: Rinse cautiously with water for several minutes. Remove contact lenses if the victim door and if they can be easily removed. Continue to rinse.
P337 + P313: If eye irritation persists, consult a physician.
P370 +378: IN CASE OF FIRE: Use for extinction: CO2, powder or water spray.
P403 + P235: Store in a well-ventilated place. Keep cool.
P501: Dispose of contents / container in accordance with local / regional / national international regulations.

2.2.2. Reduced labeling (≤ 125 mL) according to Regulation EC No.1272/2008 (CLP):

Pictograms:

GHS02 ; GHS07



Signal word:

Danger.

Contains:

--

Hazard statements:

--

Additional hazard statements:

--

Precautionary statements:

P102: Keep out of reach of children.

2.3. OTHER HAZARDS

PBT/vPvB Properties

(Annex XIII):

The product has not been evaluated for its PBT/vPvB properties.

Ingredients submitted to authorization

(Annex XIV):

Not concerned.

Others:

No additional data available.

SAFETY DATA SHEET

(Regulation EC No.1907/2006 amended – Annex II)



COMPANY: LABORATOIRES URGO
BRAND: URGO
PRODUCT NAME: URGO FILMOGEL BOUTONS
Creation date: 08/11/2013
Version: 1.1

SDS n°: SDS082
Print date: 28/11/2013
Revision date: 18/11/2013

Page 3 of 14

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. SUBSTANCE

Not concerned.

3.2. MIXTURE

3.2.1. Components / impurities contributing to hazards:

Components	Identifiers	% by mass	Classification (Dir. No.67/548/EEC)	Classification (Regul. EC No.1272/2008)
Ethyl alcohol	CAS No: 64-17-5 EC No: 200-578-6 ID No: 603-002-00-5 REACH No: 01-2119457610-43-XXXX	> 50.0	F; R11	Flam Liq Cat2; H225 Eye Irrit Cat2; H319 (≥ 50%)

Full text of hazard categories and R and H phrases is included in section 16.

3.2.2. Components / impurities presenting a hazard:

Components	Identifiers	% by mass	Classification (Dir. No.67/548/EEC)	Classification (Regul. EC No.1272/2008)
Salicylic acid	CAS No: 69-72-7 EC No: 200-712-3 ID No: -- REACH No: 01-2119486984-17-0000	< 1.0	Xn; R22 Xi; R41	Acute Tox Cat4; H302 Eye Dam Cat1; H318
Limonene	CAS No: 138-86-3 EC No: 205-341-0 ID No: 601-029-00-7 REACH No: --	< 0.01	R10 Xi; R38-R43 N; R50/53	Flam Liq Cat3; H226 Skin Irrit Cat2; H315 Skin Sens Cat1; H317 Aquatic Acute Cat1; H400 Aquatic Chronic Cat1; H410 M Factor: 1

Full text of hazard categories and R and H phrases is included in section 16.

3.2.3. Components / impurities having professional TLV / TWA:

See section 8.

3.2.4. Components / impurities classified PBT/vPvB and/or listed in the Candidate List:

Not concerned.

SECTION 4. FIRST AID MEASURES

4.1. DESCRIPTION OF FIRST AID MEASURES

General advise: Remove to fresh air.
Move the subject out of the danger area and lay down.
Remove all contaminated clothing immediately.
Contact First Aid personnel and HSE service.

Inhalation: If feeling unwell, take the person to a physician.
Move the subject to fresh air and keep quiet.

Skin contact: In case of skin irritation, rinse immediately with water. (*).
In case of persistent skin irritation, consult a physician.

Eye contact: Rinse opened eye for 15 minutes under running water, holding the eyelids apart.
If symptoms persist, consult a physician.

Ingestion: Check that the victim did not wear contact lenses, remove them.
Turn to the side a person lying on the back, which is throwing up.
Do not induce vomiting unless directed to the medical profession.

SAFETY DATA SHEET

(Regulation EC No.1907/2006 amended – Annex II)



COMPANY: LABORATOIRES URGO
BRAND: URGO
PRODUCT NAME: URGO FILMOGEL BOUTONS
Creation date: 08/11/2013
Version: 1.1

SDS n°: SDS082
Print date: 28/11/2013
Revision date: 18/11/2013

Page 4 of 14

Accidental ingestion high enough to be a health hazard level is unlikely.
If symptoms persist, consult a physician.

Personal protective equipment for rescue workers: See Section 8.

4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Inhalation: Inhalation of high concentrations may cause transient respiratory tract irritation, headaches, nausea.

Skin contact: No irritation response observed after a single exposure. (*)
The product can cause mild skin irritation if prolonged or repeated contact.

Eye contact: The product may cause severe eye irritation.

Ingestion: Ingestion of large amounts may cause:
- Depression of the central nervous system,
- Nausea, vomiting,
- Symptoms similar to intoxication by alcohol.

4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No specific recommendations.

SECTION 5. FIREFIGHTING MEASURES

5.1. EXTINGUISHING MEDIA

Suitable extinguishing media: CO₂, extinguishing powder or water spray.
Fight larger fire with alcohol resistant foam.
Adapt fire extinguishing methods suitable to the environment.

Unsuitable extinguishing media: Water jet private jet.

5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Hazardous combustion products: Carbon monoxide (CO), carbon dioxide.
Particular risk in case of fire or explosion: Fumes can combine with air an explosive mixture.
Vapors with an ignition source, can create an instant fire.
No UVCE (vapor explosion in non-confined).
Runoff to sewer may cause fire or explosion.

5.3. ADVICE FOR FIRE-FIGHTERS

Flammable class: Highly flammable liquid.
Protection against fire: Wear suitable respiratory protection independent of the ambient air.
Do not inhale explosion gases or combustion gases.
Port keeping fireproof.

Special procedures: Cool endangered receptacles with water spray.
Surrounding fires: No data available.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

6.1.1. For the non-emergency:

Protective equipment: See Section 8.
No action shall be taken involving any personal risk or without suitable training.
Evacuate area and keep people unprotected.
Prevent access to unprotected personnel.
Do not touch or walk through spilled material.

SAFETY DATA SHEET

(Regulation EC No.1907/2006 amended – Annex II)



COMPANY: LABORATOIRES URGO
BRAND: URGO
PRODUCT NAME: URGO FILMOGEL BOUTONS
Creation date: 08/11/2013
Version: 1.1

SDS n°: SDS082
Print date: 28/11/2013
Revision date: 18/11/2013

Page 5 of 14

Emergency procedure: Extinguish all ignition sources.
No data available.

6.1.2. For the emergency:

See Section 8.
Evacuate area and keep people unprotected.
Prevent access to unprotected personnel.
Do not touch or walk through spilled material.
Extinguish all ignition sources.

6.2. ENVIRONMENTAL PRECAUTIONS

Avoid discharge to sewage system, holes and cellars.
Do not allow to enter drainage system, surface water and the ground water.
In case of discharge to water course or sewage system, notify the competent authorities.

6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

6.3.1. Appropriate means of the confinement:

Obstruct the earliest possible outlets with devices provided for this purpose.

6.3.2. Appropriate means of the clean-up:

Collect the liquid with absorbent material (sand, diatomite, acid binders, universal binders, sawdust).
Evaporate.
Ensure adequate ventilation.
Use explosion-proof equipment.

6.3.3. Others information:

No additional data available.

6.4. REFERENCE TO OTHER SECTIONS

See sections 8 and 13 for more information.

SECTION 7. HANDLING AND STORAGE

7.1. PRECAUTIONS FOR SAFE HANDLING

Protection measures: Wear protective equipment required before handling (see section 8).
Ensure good ventilation / exhaustion at the workplace.
If possible, use a closed transfer system.
Respect the integrity of the packaging.

Measures to prevent a fire: Keep away from sources of ignition.
Do not smoke.
Use explosion-proof equipment and fittings and tools do not produce sparks.
Appropriate equipment to deal with fires, spills and leaks must be easily accessible.
Grounding of equipment.
Operator training in the use of fire extinguishers for immediate action.
ATEX awareness.
No data available.

Measures to prevent aerosol generation and dust: No data available.

Measures to protect environment: No data available.

General advice on hygiene of workers: Wash hands thoroughly after handling.

SAFETY DATA SHEET

(Regulation EC No.1907/2006 amended – Annex II)



COMPANY: LABORATOIRES URGO
BRAND: URGO
PRODUCT NAME: URGO FILMOGEL BOUTONS
Creation date: 08/11/2013
Version: 1.1

SDS n°: SDS082
Print date: 28/11/2013
Revision date: 18/11/2013

Page 6 of 14

7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Technical measures and storage conditions: Keep container tightly closed.
Store in cool, dry conditions in well-sealed receptacles.
Protect from heat and direct sunlight.
Keep container in a well-ventilated area.
Use the procedure fire permit if hot work.
Ensure retention of potential fire extinguishing water.
ATEX applicable regulations (zoning, adequacy of equipment, staff empowerment).

Packaging materials: Store only in the original receptacle.
Use only receptacles specifically permitted for the product.

Requirements for storage and containers: Storage tanks must be an equipotential electrical connection and grounding.
Stainless steel, titanium, bronze, cast iron, carbon, polypropylene, neoprene, nylon, ceramic, glass: compatible materials.
Incompatible materials: natural rubber, PVC, methyl- methacrylate plastics, polyamides, zinc, brass, aluminum under certain conditions.

Storage class: Highly flammable liquid.
Do not store together with oxidizing and acidic materials.

7.3. SPECIFIC END USE(S)

The identified uses for this product are listed in Section 1.2.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. CONTROL PARAMETERS

8.1.1. Worker exposure:

Component Name	CAS No	TLV / TWA	DNEL / DMEL
Ethyl alcohol	64-17-5	VLE : 5 000 ppm ; 9 500 mg/m ³ VME : 1 000 ppm ; 1900 mg/m ³	DNEL inhalation (short term / local): 1 900 mg/m ³ (1 000 ppm) DNEL inhalation (long term / systemic): 950 mg/m ³ (500 ppm) DNEL dermal (long term / systemic): 343 mg/kg bw/day

Source: Supplier data

8.1.2. Environmental exposure:

Component Name	CAS No	PNEC
Ethyl alcohol	64-17-5	PNEC freshwater: 0.96 mg/L PNEC marine water: 0.79 mg/L PNEC freshwater sediments: 3.6 mg/kg bw PNEC marine sediments: 2.9 mg/kg bw PNEC soil: 0.63 mg/kg bw PNEC oral <i>via</i> foods : 0.72 mg/kg

Source: Supplier data

8.2. EXPOSURE CONTROLS

8.2.1. Appropriate technical controls:

Measures related to substance/mixture: No data available.
Structural measures: No data available.
Organisational measures: No data available.
Technical measures: No data available.

SAFETY DATA SHEET

(Regulation EC No.1907/2006 amended – Annex II)



COMPANY: LABORATOIRES URGO
BRAND: URGO
PRODUCT NAME: URGO FILMOGEL BOUTONS
Creation date: 08/11/2013
Version: 1.1

SDS n°: SDS082
Print date: 28/11/2013
Revision date: 18/11/2013

Page 7 of 14

8.2.2. Personal protective measures:

Eye / Face protection: Wear protective airtight goggles.
Hand protection: Wear protective gloves that meet the requirements of EN 374.
Material of gloves: The selection of suitable gloves not only depends on the material, but also on further marks of quality and varies from manufacturer to manufacturer:
- Butyl
- Nitrile rubber .
Body protection: Wear protective work.
Respiratory protection: Use respiratory protection if ventilation is inadequate.
In case of exposure beyond VME mandatory individual respiratory protection equipment port.
Use devices complying with an approved standard.
AX filter.
Thermal hazards: No data available.
Hygiene measures: Observe the usual precautionary measures for handling chemicals.
Wash hands before breaks and after work.
Do not inhale gases, vapors and aerosols.
Promote the establishment of collective protection measures over individual protective measures.

8.2.3. Environment protection measures:

Measures related to substance/mixture: Avoid discharge to sewage system, holes and cellars.
Do not allow to enter drainage system, surface water and the ground water.
In case of discharge to water course or sewage system, notify the competent authorities.
Instruction measures: No data available.
Organisational measures: No data available.
Technical measures: No data available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Clear transparent liquid.
Colour: Colourless.
Odour: No data available.
Odour Threshold: No data available.
pH: No data available.
Melting / freezing point: No data available.
Initial boiling point and boiling range: No data available.
Flash point: 1.0°C (Closed cup) / NF T60-103 - (01/12/1968).
(Unpublished internal report)
Evaporation rate: No data available.
Flammability (solid, gas): No data available.
Upper / lower flammability limits: No data available.
Upper / lower explosive limits: No data available.
Vapour pressure: No data available.
Vapour density: No data available.
Relative density: No data available.
Solubility: No data available.
n-octanol/water partition coefficient: No data available.
Auto-ignition temperature: No data available.
Decomposition temperature: No data available.
Viscosity: 10 557 mPa.s / Viscosity Brookfield LV-DV.
(Unpublished internal report).

SAFETY DATA SHEET

(Regulation EC No.1907/2006 amended – Annex II)



COMPANY: LABORATOIRES URGO
BRAND: URGO
PRODUCT NAME: URGO FILMOGEL BOUTONS
Creation date: 08/11/2013
Version: 1.1

SDS n°: SDS082
Print date: 28/11/2013
Revision date: 18/11/2013

Page 8 of 14

Explosive Properties: No data available.
Oxidizing properties: No data available.

9.2. OTHER INFORMATION

Dry extract: 8.7%.
(Unpublished internal report).

SECTION 10. STABILITY AND REACTIVITY

10.1. REACTIVITY

No data available.

10.2. CHEMICAL STABILITY

The product is considered as stable under normal and reasonably foreseeable conditions of use.

10.3. POSSIBILITY OF HAZARDOUS REACTIONS

Due to its high concentration of Ethyl alcohol, the product may react:

- Light metals forming hydrogen,
- Peroxides
- Halogenated compounds.

10.4. CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods.
Avoid heat, flames and other sources of ignition.

10.5. INCOMPATIBLE MATERIALS

Oxidizing agents, peroxides, oxidizing acids and salts; Organometallic Hydrogen, Phosphorus, Arsenic, Antimony, metal oxides, silver nitrate, mercury nitrate, magnesium perchlorate.

10.6. HAZARDOUS DECOMPOSITION PRODUCTS

Combustion will generate oxides of carbon.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

11.1.1. Information on the substance:

Not concerned.

11.1.2. Information on the mixture:

The finished product has not been fully tested. (*)

According to available data on the components and according to the additivity rule, the product is considered as hazardous to human health (Regulation EC No 1272/2008 as amended).

Acute Toxicity: Not sufficient data available to determine the classification of the product.
Ingestion: According to data available on the components:
Ingestion of large amounts may cause:

- Depression of the central nervous system,
- Similar to intoxication by alcohol symptoms,
- Gastrointestinal discomfort , nausea or vomiting.

SAFETY DATA SHEET

(Regulation EC No.1907/2006 amended – Annex II)



COMPANY: LABORATOIRES URGO
BRAND: URGO
PRODUCT NAME: URGO FILMOGEL BOUTONS
Creation date: 08/11/2013
Version: 1.1

SDS n°: SDS082
Print date: 28/11/2013
Revision date: 18/11/2013

Page 9 of 14

Dermal: (Supplier data).
No data available.

Inhalation: According to data available on the components:
Inhalation of high concentrations may cause transient respiratory tract irritation, headaches, nausea and dizziness.
(Supplier data).

Skin corrosion/irritation: Test of skin tolerance of the finished product: (*)
No reaction observed in subjects tested after 10 minutes of exposure. (*)
The product is considered to have "very good skin compatibility". (*)
(Occlusive single patch test / human volunteers). (*)
(Unpublished internal report)

Serious eye damage / eye irritation: According to data available on the components:
The product may cause severe eye irritation.
(Additivity rule).

Respiratory or skin sensitization: According to data available on the components:
The product is considered as "Non-sensitizer".
(Additivity rule).

Mutagenicity: Not sufficient data available to determine the classification of the product.
Carcinogenicity: Not sufficient data available to determine the classification of the product.
Reproductive Toxicity: Not sufficient data available to determine the classification of the product.
Specific target organ toxicity (STOT) – single exposure: Not sufficient data available to determine the classification of the product.
Specific target organ toxicity (STOT) – repeated exposure: Not sufficient data available to determine the classification of the product.
According to data available on the components:
May cause slight irritation on skin by prolonged or repeated contact.
(Supplier data).

Aspiration hazard: Not sufficient data available to determine the classification of the product.

11.1.3. Information on likely routes of exposure:

Exposure may occur by dermal route under normal use.

11.1.4. Symptoms related to the physical, chemical and toxicological characteristics:

See section 4.2.

11.1.5. Delayed, immediate and chronic effects of exposure to short or long term:

See section 4.2.

11.1.6. Interactive effects:

No data available.

11.1.7. Absence of specific data:

No available data on similar mixtures.

11.1.8. Information on mixtures and information on substances:

No data available.

11.1.9. Other information:

No additional data available.

SECTION 12. ECOLOGICAL INFORMATION

No data are available on finished product.

SAFETY DATA SHEET

(Regulation EC No.1907/2006 amended – Annex II)



COMPANY: LABORATOIRES URGO
BRAND: URGO
PRODUCT NAME: URGO FILMOGEL BOUTONS
Creation date: 08/11/2013
Version: 1.1

SDS n°: SDS082
Print date: 28/11/2013
Revision date: 18/11/2013
Page 10 of 14

According to available data on the components and according to the additivity rule, the product is not considered as dangerous for the environment (Regulation EC No 1272/2008 as amended).

12.1. TOXICITY

Acute toxicity: According to data available on the components:
The product is not considered as acute toxic to aquatic organisms.
(Additivity rule).
Fishes: No data available.
Crustaceans: No data available.
Algae / Aquatic plant: No data available.
Other organisms: No data available.
Chronic toxicity: According to data available on the components:
The product is not considered toxic to aquatic organisms chronic.
(Additivity rule).

12.2. PERSISTENCE AND DEGRADABILITY

According to data available on the components:
The product is considered as "Readily biodegradable".
(Supplier data).

12.3. BIOACCUMULATIVE POTENTIAL

According to data available on the components:
The product is considered as "Not potentially bioaccumulative."
(Supplier data).

12.4. MOBILITY IN SOIL

According to data available on the components:
The product is considered as "Mobile in the ground."
(Supplier data).

12.5. RESULTS OF PBT AND VPVB ASSESSMENT

The product has not been evaluated for its properties PBT/vPvB (Regulation EC No. 1907/2006 – Annex XIII).

12.6. OTHER ADVERSE EFFECTS

No additional data available.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. WASTE TREATMENT METHODS

13.1.1. Disposal of the product / packaging:

This product is disposed as hazardous waste according to appropriate treatment pathways and local / departmental plan for waste disposal.

The mixture must be disposed of in an appropriate channel for solvent based chemicals.

Contaminated and / or soiled by the product packaging must be supported by an organization with the necessary authorizations for the transport and disposal of waste.

Empty packaging should not be treated as household waste: it may contain hazardous residues.

Hazard classification: H3-A: Highly flammable.
H4: Irritant.

Nomenclature Code 14.06: Waste solvents, refrigerants and aerosols / organic foams propellants.
(Environmental Code, art. 14.06.03*: Other solvents and solvent mixtures.

SAFETY DATA SHEET

(Regulation EC No.1907/2006 amended – Annex II)



COMPANY: LABORATOIRES URGO
BRAND: URGO
PRODUCT NAME: URGO FILMOGEL BOUTONS
Creation date: 08/11/2013
Version: 1.1

SDS n°: SDS082
Print date: 28/11/2013
Revision date: 18/11/2013
Page 11 of 14

R541-8, Annex II):

16.03: Off-specification batches and unused products.
16.03.05*: Organic wastes containing dangerous substances.

13.1.2. Relevant information about the waste treatment:

No data available.

13.1.3. Relevant information about the disposal of sewage:

No data available.

13.1.4. Other recommendations for the disposal:

No data available.

SECTION 14. TRANSPORT INFORMATION

According to the requirements of ADR / RID / ADN / IMDG / ICAO / IATA

14.1. UN NUMBER

1993

14.2. UN PROPER SHIPPING NAME

Flammable liquid, nos (contains Ethyl alcohol).

14.3. TRANSPORT HAZARD CLASS(ES)

Hazard class: 3
Hazard label: 3

14.4. PACKING GROUP

Packing group II.

14.5. ENVIRONMENTAL HAZARDS

Not concerned.

14.6. SPECIAL PRECAUTIONS FOR USER

14.6.1. Road transport (ADR, 2013):

Classification Code (UN): F1
Orange panels:
Transport category: 2
Tunnel restriction code: D/E
Special provisions: 274 ; 601 ; 640C
Limited quantities: 1 L
Excepted quantities: E2
Packing instruction: P001
Mixed packaging provisions: MP19

14.6.2. Rail transport (RID):

Not concerned.

SAFETY DATA SHEET

(Regulation EC No.1907/2006 amended – Annex II)



COMPANY: LABORATOIRES URGO
BRAND: URGO
PRODUCT NAME: URGO FILMOGEL BOUTONS
Creation date: 08/11/2013
Version: 1.1

SDS n°: SDS082
Print date: 28/11/2013
Revision date: 18/11/2013
Page 12 of 14

14.6.3. River transport (ADN / ADNR):

Not concerned.

14.6.4. Sea transport (IMDG):

EmS number: F-E, S-E (*)
Marine pollutant: No (*)
Special provisions: 274 (*)
Limited quantities: 1 L (*)
Excepted quantities: E2 (*)
Packing instruction: P001 (*)

14.6.5. Air transport (ICAO / IATA):

UN number: ID 8000 (*)
Nom d'expédition des Nations Unies : Produit de consommation. (*)
Classe de danger : 9 (*)
Groupe d'emballage : -- (*)
Étiquette de danger : 9 (*)
Dispositions spéciales de transport : A112 (*)
Quantités limitées : Y963 / 30 kg (*)
Quantités exceptées : E0 (*)
Instruction d'emballage : Y963 (*)

14.6.4. Actions in the event of an accident or emergency:

- Apply the braking system, stop the engine and isolate the battery by activating the master switch where available.
- Inform the appropriate emergency services, giving as much information about the incident or accident and substances involved as possible.
- Put on the warning vest and place the self-standing warning signs as appropriate.
- Keep the transport documents readily available for responders on arrival.
- Do not walk into or touch spilled substances and avoid inhalation of fumes, smoke, dusts and vapours by staying up wind.

14.7. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not concerned.

1. SECTION 15. REGULATORY INFORMATION

15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS / LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

15.1.1. European regulations:

Regulation EC No. 1907/2006 (REACH) amended: The finished product to the consumer as marketed product is exempt from the provisions of Title IV of Regulation: communication of information in the supply chain.
Other regulations:
- Finished product to the consumer as marketed product is not subject to classification and labeling according to Regulation EC No. 1272/2008 as amended.
- The finished product to the consumer is a cosmetic product that meets the requirements of EC Regulation 1223/2009 as amended relating to the placing on the market of cosmetic products.
- The product and its components are not covered by Regulation EC No 689/2008 as amended relating to export and import of dangerous chemicals.

15.1.2. National regulations (France):

Occupational diseases: Not applicable. The product is for the exclusive use consumer.
Classification according to French ICPE regulation: Items that can be set according to the quantities used:
- 1432: Storage manufactured tanks of flammable liquids

SAFETY DATA SHEET

(Regulation EC No.1907/2006 amended – Annex II)



COMPANY: LABORATOIRES URGO
BRAND: URGO
PRODUCT NAME: URGO FILMOGEL BOUTONS
Creation date: 08/11/2013
Version: 1.1

SDS n°: SDS082
Print date: 28/11/2013
Revision date: 18/11/2013
Page 13 of 14

Other regulations: - 1510: Storage of materials or combustible substances
No data available.

15.2. CHEMICAL SAFETY ASSESSMENT

The product has not been evaluated.

2. SECTION 16. OTHER INFORMATION

16.1. PROCEDURE USED TO DERIVE THE CLASSIFICATION ACCORDING TO REGULATION EC NO. 1272/2008 (CLP):

Classification	Justification
Flam Liq Cat2 ; H225	Flash point test carried out with the product. (Unpublished internal report).
Eye Irrit Cat2 ; H319	Additivity rule.

16.2. FULL TEXT OF HAZARD CATEGORIES AND THE R AND H SHORT PHRASES CARRIED FORWARD ON THE SECTION 2 AND 3

Full text of hazard categories: F: Flammable.
Xn: Harmful.
Xi: Irritant.
N: Hazardous to the environment.
Flam Liq Cat2: Flammable Liquid Category 2.
Flam Liq Cat3: Flammable Liquid Category 3.
Acute Tox Cat4: Acute Toxic Category 4.
Skin Irrit Cat2: Irritating to skin Category 2.
Eye Irrit Cat2: Irritating to eye Category 2.
Eye Dam Cat1: Seriously irritating to eye 1.
Skin Sens Cat1: Sensitive to skin Category 1.
Aquatic Acute Cat1: Aquatic Acute toxic Category 1.
Aquatic Chronic Cat1: Aquatic Chronic toxic Category 1.

Full text of R phrases: R11: Highly flammable.
R22: Harmful by ingestion.
R38: Irritating to skin.
R41: Risk of serious eye damage.
R43: Sensitive to skin.
R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Full text of H phrases: H226: Flammable liquid and vapor.
H302: Harmful by ingestion.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H400: Very toxic to aquatic organisms.
H410: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

16.3. HISTORIQUE OF CHANGES TO THE SAFETY DATA SHEET

Updated: Sentences followed by asterisk (*) have been added compared to the previous version.

Date:	Subject:	Version:
08/11/2013	SDS creation.	1.0
18/11/2013	SDS correction.	1.1

SAFETY DATA SHEET

(Regulation EC No.1907/2006 amended – Annex II)



COMPANY: LABORATOIRES URGO
BRAND: URGO
PRODUCT NAME: URGO FILMOGEL BOUTONS
Creation date: 08/11/2013
Version: 1.1

SDS n°: SDS082
Print date: 28/11/2013
Revision date: 18/11/2013

Page 14 of 14

This sheet complements the technical sheets but does not replace them. The information contained within is based on our state of knowledge to the product, on the date indicated. These are given in good faith. Moreover the user's attention is drawn to the possible risks incurred when a product is used for purposes other than those for which it was designed. It does in any case exonerate the user from knowing and applying all the regulations governing his activity. He will be solely responsible of the precautions related to the use he makes of the product. All regulatory prescriptions mentioned is to help the user to fulfill his obligations. This list cannot be considered exhaustive. The recipient must ensure that other obligations do not incumbent on him because of texts other than those mentioned.